

## Beverage Innovations

The best result...

uni-chains provides the complete solution to all of your conveying needs/problems from depalletizer to palletizer. We have developed products that will exceed your expectations whether you need a high speed belt, a wear resistant chain or a belt to convey a full load of pallets.



uni SS 881 TAB chain



uni Gripper chain



uni Flex SNB belt

*Let uni-chains help you increase efficiency and reduce production costs simultaneously.*

### Advantages of uni conveyor chains:

- Less downtime due to higher tensile strength
- Longer chain life due to wear resistant materials
- Super low friction material for high speed applications
- Bevel edges reduce tippage with side transfer
- Increased friction with moulded rubber inserts
- Angled grippers allow for smoother transfer, reducing tippage/misaligning  
(see [www.unichains.com](http://www.unichains.com) for details)

### Advantages of uni modular plastic belt:

- Conveyors are able to run dry with self-lubricating acetal modules
- Super Low Friction material reduces soap/water usage
- Quick and easy assembly/disassembly with the new Lockpin
- High tensile strength with reinforced side flexing belts
- Easy to clean Roller Top belt for crate/box accumulation
- Patented radius top surface reduces back line pressure and oxide build-up from cans
- Exceptionally flat surfaces for transferring motion-sensitive PET bottles  
(see [www.unichains.com](http://www.unichains.com) for details)



## Modular plastic belt and conveyor chain solutions for the beverage industry

uni M-QNB C	uni M-QNB with rubber	uni Light C	uni Light Vacuum	uni SNB M2	uni SNB M2 Rib	uni Flex SNB-WT Integral moulded edge wearpart
Standard materials: POM-SLF PP PP	Standard materials: POM-SLF PP PP	Standard materials: POM-LF PP PP PP PE PA-6	Moulded to order	Standard materials: POM-D PP PE	Standard materials: POM-D PP PE	Standard materials: POM-D POM-D PP PP PA6.6 PA6.6
uni QNB C	uni QNB with rubber	uni SSB C	uni L-SNB Rib	uni OPB 4V 23% Rib	uni MPB PRR	uni XLB C
Standard materials: POM-SLF PP	Standard material: PP Rubber material: Thermolast K, black	Standard materials: POM-LF PP	Standard materials: POM-LF PP	Standard materials: PP PP	Standard material: Baselink: [POM-I] Rollers/Roller bed: [PA6] [POM-I]	Standard material: POM-NL
uni 881	uni 805/815	uni 820	uni 880/882	uni Grip 1873-G3/G4	uni Grip 1873-D	Chains with moulded Rubber Inserts
Standard materials: SS304 SS430 SI045	Standard materials: SS304 SS430 SI045	Standard materials: POM-D POM-D POM-LF POM-SLF	Standard materials: POM-D POM-D POM-LF POM-SLF	Standard materials: POM-D POM-LF	Standard materials: POM-D POM-LF	

## Application guidelines

D/LF/SLF/NL-POM • PP-Polypropylene • SS-Stainless Steel

Belt/chain style	Belt/chain pitch	Depalletizer	Vacuum conveyor	General conveyance	Mass handling	Accumulation table	Rinser/elevator	Single filter/combiner	Filler lines	Capper machine	Warmer/cooler	Pasteurizer	Case packer	Case conveyor	Case conveyor inline/decline	Case/box accumulation	Palletizer	Pallet handling
uni M-QNB C	12.7 mm	SLF		SLF	SLF	SLF												
uni M-QNB with rubber	12.7 mm														PP			
uni Light C	19.1 mm	LF		LF	LF					PP/LF							LF	
uni Light Vacuum	19.1 mm		LF															
uni SNB M2	25.4 mm	D		D	D	D		D	D									
uni SNB M2 Rib	25.4 mm	SLF				SLF					PP/SLF							
uni Flex SNB-W/WO/WT	25.4 mm			D	D									D	D	D		
uni QNB C	25.4 mm	SLF		SLF	SLF	SLF		SLF	SLF	PP/SLF			SLF	SLF			SLF	
uni QNB with rubber	25.4 mm														PP			
uni SSB C	38.1 mm			LF	LF	LF		LF	LF	PP/LF			LF	LF	LF		LF	
uni L-SNB Rib	50.8 mm	PP/LF									PP	PP						
uni OPB 4V Rib 23%	50.8 mm										PP	PP						
uni MPB PRR	50.8 mm																D	
uni XLB C	63.5 mm	NL															NL	NL
uni 815/805	38.1 mm			SS	SS			SS	SS					SS	SS	SS		
uni 881/uni 881 Super Flex	38.1 mm			SS	SS			SS	SS					SS	SS	SS		
uni 820/831/821	38.1 mm		LF	LF	LF			LF	LF				LF	LF	LF			
uni 880/879/882	38.1 mm		LF	LF	LF			LF	LF				LF	LF	LF			
uni Grip 1873-G3/G4	19.1 mm																	
uni Grip 1873-D	19.1 mm																	